

A**AASHTO STANDARDS**

Policy on Use of ----- 82.3

ABANDONMENT

Water Wells ----- 110.2

ABBREVIATIONS, OFFICIAL NAMES

----- 61.1

ACCELERATION LANE

----- 403.5

At Rural Intersections ----- 405.1

ACCESS CONTROL

----- 62.6

----- 104

Alignment, Existing ----- 104.3

Alignment, New ----- 104.3

Frontage Roads ----- 104.3

Frontage Roads Financed by Others ----- 104.3

General Policy ----- 104.1

Highways, Definition ----- 62.3

Interchanges ----- 504.8

Intersections ----- 405.6

Openings ----- 104.2

Openings, Financial Responsibility ----- 205.5

Openings on Expressways ----- 205.1

Openings in Relation to Median Openings ----- 104.5

Rights, Protection of ----- 104.4

ACCESSIBILITY REQUIREMENTS

Curb Ramps, Guidelines for ----- 105.4

Driveways ----- 205.3

Provisions for Disabled Persons ----- 105.3

Refuge Areas ----- 403.7

ACCIDENT DATA

Intersections ----- 402.2

ACCRETION

Definition ----- 806.2

Definition ----- 874

ACQUISITION

----- 62.6

of Material and Disposal Sites ----- 111.5

ADT/AADT

see AVERAGE DAILY TRAFFIC

AESTHETIC FACTORS

Contour Grading and Slope Rounding ----- 304.4

In Design ----- 109.3

Materials and Color Selection ----- 705

Noise Barrier ----- 1102.6

Planting ----- 902.1

Retaining Walls ----- 210.5

AGGRADATION

Definition ----- 806.2

Definition ----- 874

AGGREGATE BASE

see BASE Engineering Criteria ----- 663

AGGREGATE SUBBASE

Engineering Criteria ----- 663

AGGRESSIVE

Definition ----- 806.2

AGREEMENTS

Drainage, Cooperative ----- 803.2

Materials ----- 111.4

AIR POLLUTION

Control of Burning ----- 110.3

Control of Dust ----- 110.3

AIR RIGHTS

----- 62.6

AIRWAY-HIGHWAY

----- 207

Clearances ----- 207.2

Submittal of Data ----- 207.3

ALIGNMENT

Aesthetic Factors ----- 109.3

Bridges ----- 203.9

Channel ----- 862.2

Consistency (Horizontal) ----- 203.3

Controls (Horizontal) ----- 203.1

Coordination (Horizontal/Vertical) ----- 204.6

Culverts ----- 823.2

Horizontal ----- 203

Vertical (Grade) ----- 204

ALLUVIUM

Definition ----- 806.2

Definition ----- 874

ALTERNATIVES FOR CULVERT PIPES

----- 853

ALUMINUM PIPE

----- 854.4

ANGLE OF INTERSECTION

----- 403.3

APPRAISAL

----- 62.6

APPROACH SLABS, STRUCTURE

New Construction Projects ----- 208.11(2)

Rehabilitation Projects ----- 673

APPROVALS

Nonstandard Design Features	82.2
Proprietary Items	110.10
Proprietary Items	601.5
Special Pavement Structural Section Designs --	601.5

AREAS OF CONFLICT

Intersections	403.2
---------------------	-------

AQUEDUCT

Definition	806.2
------------------	-------

AQUIFER

Definition	806.2
.....	841.2

ARCH CULVERTS

.....	854.1
.....	854.3
.....	854.4
.....	854.6
.....	854.7

ARMOR

.....	873.3
-------	-------

ARTERIAL HIGHWAYS

.....	62.3
-------	------

ARTESIAN WATERS

Definition	806.2
------------------	-------

ASPHALT CONCRETE

see FLEXIBLE PAVEMNT

ASPHALT TREATED PERMEABLE BASE

Definition	62.7
Design, Asphalt Pavement	633.1
Design, Concrete Pavement	623.1
Pavement Drainage	662.3

AUXILIARY LANES

.....	62.1
Interchange	504.5

AVAILABLE HEAD, USE OF

.....	821.1
.....	821.4

AVERAGE DAILY TRAFFIC

.....	62.8
.....	103.1

AVULSION

Definition	806.2
Definition	874

AXIS OF ROTATION

Superelevation	202.4
----------------------	-------

AXLE LOADS, EQUIVALENT SINGLE

see EQUIVALENT SINGLE AXLE LOADS

B**BACKFILL, CULVERTS**

.....	829.2
-------	-------

BACKWATER

Definition	806.2
Definition	874
.....	821.4
.....	864.4

BAFFLE

.....	873.4
-------	-------

BANK

Definition	806.2
Definition	874
Guide	873.4
Protection, Definition	806.2
Protection, Definition	874

BARRIER

Concrete on Walls	210.6
Median	305.3
Noise	1100
Railing	208.10

BASE

Definitions	62.7
Aggregate	662.1
Asphalt Treated	662.2
Asphalt Treated Permeable	662.3
Cement Treated	662.2
Cement Treated Permeable	662.3
Description	602.1
Engineering Criteria	663
Granular, Untreated	662.1
Hot Mix Asphalt Concrete	662.2
Lean Concrete	662.2
Treated Permeable	662.3

BASEMENT SOIL

See SUBGRADE

BASIN CHARACTERISTICS

Elevation	812.7
Land Use	812.4
Orientation	812.8
Shape	812.2
Size	812.1
Slope	812.3
Soil & Geology	812.5
Storage	812.6

BEDLOAD

Definition	806.2
Definition	874
.....	851.2

BENCHES

Drains	834.4
Slope	304.3

BERM

.....	835
Definition	874

BIKEWAY

Definitions	1001.1
Design Criteria	1003
Markings	1004
Planning Criteria	1002
Railings	208.10
Standards	1000
Traffic Control Devices	1004

BITUMINOUS

Coatings On Pipes	854.3
-------------------------	-------

BORDER INSPECTION STATIONS

.....	107.3
-------	-------

BORROW

Definition	62.7
------------------	------

BRANCH CONNECTION

.....	62.4
Freeway-to-freeway	504.4
Interchange, Entrances and Exits	504.2

BRIDGE REPLACEMENT & REHABILITATION PROGRAM

.....	43.3
-------	------

BRIDGES

.....	208
Alignment	203.9
Approach Railing	208.10
Clearances	309
Deer Crossing	208.8
Definition	62.2
Embankment Slopes	208.5
Equipment Crossings	208.8
Falsework Clearance	204.8
Flood Design	821.3
Grade Line	204.7
Overloads	110.1
Slope Treatment, End	707
Structure Depth	204.8
Structure, Open End	208.5
Types of Structures	62.2
also see GRADE SEPARATION STRUCTURES	

BROKEN-BACK CURVE

see CURVES

BULKHEADS

Definition	874
Type	873.3

BULKING

Definition	806.2
Definition	874
Factors	813.8
.....	861.2
.....	864.3

BUS

Design Vehicle	404.2
Loading Facilities	108.2
Turning Templates	407

BYPASS HIGHWAY

.....	62.3
-------	------

C**CALIFORNIA OPERATIONAL SAFETY AND HEALTH (CAL-OSHA)**

Tunnel Safety Orders	110.12
----------------------------	--------

CALIFORNIA R-VALUE

Definition	62.7
Measurement of	614.3
Record Keeping	605.1

CAMBER

Definition	806.2
.....	829.2

CANTILEVER WALLS

.....	210.1
-------	-------

CAPACITY

Drainage Structure	806.2
Highway	102
Intersection	402.1
Operational Features Affecting Design	402.1
Ramp Intersection	406
Safety Roadside Rests	903.5

CAPILLARITY

Definition	806.2
------------------	-------

CAPILLARY WATER

Definition	806.2
.....	841.2

CAPITAL PREVENTATIVE MAINTENANCE

.....	603.3
-------	-------

CATCH BASIN

Definition	806.2
Inlets	837.2

CATCH POINT

Clearance to Right of Way Line	304.2
Side Slope Standards	304.1

CATTLE PASSES

----- 208.8

CEMENT TREATED PERMEABLE BASE

also see BASE Definition----- 62.7

CENTRAL ANGLE

----- 203.4

CENTRIFUGAL FORCE

Formula ----- 202.1

Superelevation ----- 202

CHAIN LINK

Fences ----- 701.2

Railings, Bridges ----- 208.10

CHANNEL, OPEN

Alignment & Grade ----- 862.2

Changes ----- 865

Characteristics ----- 813

Cross Section ----- 863

Design Consideration ----- 861

Flow Classifications ----- 864.2

Flow Equations ----- 864.3

Linings ----- 873.3

Unlined ----- 862.2

CHANNEL & SHORE PROTECTION

----- 870

Armor ----- 873.3

Definitions ----- 874

Design, Concepts ----- 873.1

Design, Highwater & Hydraulics ----- 873.2

Site Considerations ----- 872.3

Training ----- 873.4

CHANNELIZATION

----- 62.4

Design Standards ----- 405

Left-turn ----- 405.2

Principles of ----- 403

Right-turn ----- 405.3

CHANNELIZATION, PRINCIPLES OF

----- 403

Angle of Intersection ----- 403.3

Areas of Conflict ----- 403.2

Major Movements ----- 403.1

Points of Conflict ----- 403.4

Precautions ----- 403.12

Prohibited Turns ----- 403.8

Refuge Areas ----- 403.7

Signal Control ----- 403.9

Speed-change Areas ----- 403.5

Summary ----- 403.11

Traffic Control Devices ----- 403.10

Turning Traffic ----- 403.6

CHECK DAM

Definition ----- 806.2

CIENEGA

Definition ----- 806.2

CLEANOUT

Definition ----- 806.2

----- 842.4

CLEAR DISTANCE

Stopping Sight Distance on Horizontal Curves -- 201.6

CLEAR RECOVERY ZONE

----- 309.1

CLEARANCES

Airway-highway ----- 207

Falsework ----- 204.6

Lateral, for Elevated Structures ----- 309.4

Pedestrian Over Crossings ----- 309.2

Railroad ----- 309.5

Signs, Vertical ----- 309.2

Slope to Right of Way Line ----- 304.2

Structures, Horizontal ----- 309.1

Structures, Vertical ----- 309.2

Tunnel ----- 309.3

CLIMATE

Pavement Map ----- 615

CLIMBING LANES

Transitions ----- 206.2

Sustained Grades ----- 204.5

CLOVERLEAF INTERCHANGE

Local Streets ----- 502.2

Freeway-to-freeway ----- 502.3

COATINGS

Pipe ----- 854.3

COEFFICIENT OF ROUGHNESS

Channels ----- 864.3

Conduit ----- 851.2

COEFFICIENT OF RUNOFF

Definition ----- 806.2

----- 819.2

COLORS, SELECTION

Concrete ----- 705.1

Steel Structures ----- 705.2

COMFORT FACILITIES

Roadside Rests ----- 903

COMFORTABLE SPEEDS

see MAXIMUM COMFORTABLE SPEED

COMMERCIAL DRIVEWAYS

----- 205.

COMMUNITY NOISE ABATEMENT PROGRAM

----- 1101.4

COMPOSITE PAVEMENT

Definition -----	62.7
Engineering Properties -----	642.1
Mechanistic-Empirical Method -----	606.3
New Construction -----	643
Pavement Preservation -----	644
Performance Factors -----	642.2
Reconstruction -----	643
Rehabilitation -----	645
Types -----	641

COMPOUND CURVES

-----	203.5
Superelevation -----	202.6

CONCENTRATED FLOW

Definition -----	806.2
------------------	-------

CONCENTRATION

Drainage, Definition -----	806.2
----------------------------	-------

CONCRETE

Base, Lean -----	62.7
Base, Lean -----	662.2
Gravity Walls -----	210.2
Painting -----	705.1
Pavement, Rigid -----	620
Portland Cement Pavement (PCCP)	
see RIGID PAVEMENT	
Retaining Walls -----	210.2

CONDEMNATION

-----	62.6
Inverse -----	62.6

CONDUIT

Cross Section -----	851.2
Crossover, Irrigation -----	706.4
Definition -----	806.2
Protective Coating -----	854.3

CONGESTION MITIGATION AND AIR QUALITY IMPROVEMENT PROGRAM (CMAQ)

-----	43.2
-------	------

CONNECTIONS

Access Openings on Expressways -----	205.1
Branch -----	62.4
Branch Interchange, Entrances and Exits -----	504.2
Driveways on Frontage Roads -----	205.4
Driveways on Rural Roads -----	205.4
Driveways on Urban Roads -----	205.3
Financial Responsibility -----	205.5
Freeway-to-freeway -----	62.4
Freeway-to-freeway -----	504.4
Freeway with Local Roads -----	106.2
Local Facility -----	203.1

Private Road -----	205.2
Roadway -----	107.1

CONSERVATION OF MATERIALS AND ENERGY

-----	110.11
-------	--------

CONSTRUCTIBILITY

Pavement -----	618.2
----------------	-------

CONTINUOUSLY REINFORCED CONCRETE PAVEMENT

-----	621.2
also see RIGID PAVEMENT	

CONSTRUCTION

Freeway Connections with Local Roads -----	106.2
Initial and Stage -----	106.1
Temporary Features -----	82.1
Temporary Pavements and Detours -----	612.6

CONTOUR GRADING

-----	304.4
Aesthetics -----	109.3

CONTRACTORS YARDS/PLANT SITES

-----	112
-------	-----

CONTRAST TREATMENT

-----	704
Policy -----	704.1

CONTROL

Drainage, Definition -----	806.2
Erosion -----	110.2
Traffic, Devices -----	62.8
Traffic, Devices -----	403.10
Traffic, Special Problems -----	110.7

CONTROL OF ACCESS

see ACCESS CONTROL

CONTROL OF POLLUTION

see POLLUTION CONTROL

CONTROLLED ACCESS HIGHWAY

-----	62.3
-------	------

CONVENTIONAL HIGHWAYS

-----	62.3
Sidewalks -----	105.1

COORDINATION WITH OTHER AGENCIES

-----	108
Bus Loading Facilities -----	108.2
Divided Nonfreeway Facilities -----	108.1
with FHWA -----	108.3

COST REDUCTION INCENTIVE PROPOSALS

Walls -----	210.4
-------------	-------

COUNTERFORT WALLS

-----	210.2
-------	-------

CRASH CUSHIONS

-----	702.1
-------	-------

CRIB WALLS

-----	210.2
-------	-------

CRITICAL

Depth, Definition -----	806.2
Depth, Definition -----	874
Flow, Definition -----	806.2
Flow, Definition -----	874
Slope, Definition -----	806.2
Slope, Definition -----	874
Velocity, Definition -----	806.2
Velocity, Definition -----	874

CROSS DRAINAGE

-----	820
-------	-----

CROSS SECTION

City Streets and County Roads -----	308.1
Clear Recovery Zone, -----	309.1
Effects on Drainage -----	833
Frontage Roads -----	310.1
Geometric -----	62.1
Grade -----	204.2
Multilane, All Paved -----	307.5
Multilane, Divided -----	307.4
Multilane, RRR Criteria -----	307.6
Outer Separation -----	310.2
State Highway -----	307
Two-lane, New Construction -----	307.2
Two-lane, RRR Criteria -----	307.3
Warrants for -----	307.1

CROSS SECTION, OTHER THAN STATE HIGHWAY ROADS

-----	308
City and County Roads -----	308.1

CROSS SECTION, STATE HIGHWAY

see CROSS SECTION

CROSS SLOPES

Effects on Drainage -----	833
Gutter -----	303.2
Median -----	305.2
Pavement -----	301.2
Shoulder -----	302.2
Structures -----	208.2

CROSSINGS

Deer -----	208.8
Equestrian -----	208.7
Equipment -----	208.8
Railroad -----	104.3

CROSSOVER

Irrigation, Conduits -----	706.3
----------------------------	-------

CUL-DE-SAC STREET

-----	62.3
-------	------

CULVERTS

Alignment & Slope -----	823.4
Alternative Pipes -----	853
Anchorage -----	829.5
Available Head -----	821.4
Backwater -----	825.1
Bedding & Backfill -----	829.2
Box and Arch -----	854.7
Bridges -----	821.3
Buoyant Forces -----	826.3
Camber -----	823.2
Choice of Type -----	851.2
Culvert Design System -----	825.3
Curvature -----	823.2
Definition -----	806.2
Design Discharge -----	821.2
Design Flood, Definition -----	806.2
Design Frequency, Definition -----	806.2
Design Storm, Definition -----	806.2
End Treatment -----	826.2
Entrance Design -----	826
Entrance Riser -----	826.3
Gradeline -----	823.2
Headwall -----	826.3
Headwater -----	821.4
Height of Cover -----	829.2
Height of Cover -----	854
Hydrologic Considerations -----	821.2
Improved Inlets -----	826.4
Inlet Control -----	825.2
Joints -----	853.1
Length -----	828.3
Minimum Cover -----	854.9
Multiple Pipes -----	824.2
Outlet Design -----	827
Piping -----	829.3
Roughness -----	851.2
Sag -----	829.7
Service Life -----	852.1
Settlement -----	829.2
Slope -----	823.2
Transitions -----	826.4
Type Selection -----	824

CURB RAMPS

-----	105.4
Guidelines for -----	105.4
Policy and Procedure -----	105.3

CURBS

-----	303
Bridges -----	303.5
Frontage Roads and Streets -----	303.6
General Policy -----	303.1
Grade Separations -----	303.5

Gutter Pan, Cross Slope	303.2	DECISION SIGHT DISTANCE	
Median	305.4	201.7
Position of	303.5	DEER CROSSINGS	
Ramps	504.3	208.8
Returns, for City Streets	405.8	DEFENSE ROUTE	
Structures	303.5	Rural and Single Interstate Routes	309.2
Types and Uses	303.2	DEFINITIONS	
CURVES		62
Broken-back	203.7	Drainage	806.2
Compound	203.5	Pavement Structural Section	62.7
Compound, Superelevation of	202.6	Deflection Studies	635.1
Horizontal	203	DEGRADATION	
Length and Central Angle	203.4	Definition	806.2
Location of Ramp on	504.2	DELAY	
Maximum Comfortable Speeds	202.2	62.8
Radius	203.2	DENSITY	
Ramp Widening	504.3	62.8
Reversing	203.6	DESIGN	
Reversing, Superelevation Transition for	202.5	Capacities	102
Spiral	203.8	Channel & Shore Protection	873.1
Superelevation	202	Designation	103
Three-Center	405.7	Discharge	811.3
Vertical	204.4	Discharge, Estimating	819
CUT WIDENING		Flood, Establishing	818.2
.....	304.3	Frequency, Definition	806.2
		Geometric Standards	200
D		Hourly Volume	103.1
D-LOAD		Hourly Volume, Definition	62.8
Cracking D-Load	854.1	Interchange	504
Definition	806.2	Intersection	405
Reinforced Concrete Pipe	854.1	Period	103.2
DAM		Speed (See DESIGN SPEED)	
.....	829.9	Standards, Applications	80
DEAD END STREET		Storm	821.2
.....	62.3	Storm, Definition	806.2
DEBRIS		DESIGN DESIGNATION	
.....	813.8	Design Period	103.2
Barrier, Definition	806.2	Relation to Design	103.1
Basin, Definition	806.2	DESIGN HOURLY VOLUME	
Bulking	813.8	62.8
Control Structure	822.2	103.1
Definition	806.2	DESIGN LIFE	
Definition	874	Pavement	612
Rack, Definition	806.2	Relation to Design Period	103.1
Riser	822.2	DESIGN SPEED	
DECELERATION LANE		101
.....	403.5	Definition	62.8
Left Turns	405.2	Entrances & Exits	504.2
Right Turns	405.3	Freeway-to-freeway Minimum	504.4

Freeway Entrances & Exits -----	504.2	Types and Uses -----	303.3
Local Facility -----	101.1	DISCHARGE	
Scenic Values -----	109	Definition -----	806.2
Selection -----	101.1	Design -----	811.3
Standards -----	101.2	Estimating -----	819
DESIGN VEHICLE		Peak -----	811.3
-----	62.8	DISPOSAL SITES/MATERIALS SITES	
-----	404	-----	111
Bus -----	404.2	Acquisition of -----	111.5
California Truck -----	404.2	Environmental Requirements -----	111.1
Offtracking -----	404.1	Information Furnished to Prospective Bidders ---	111.3
STAA Truck -----	404.2	Investigation of Local Material Sources -----	111.2
Turning Templates -----	404.3	Mandatory, on Federal-aid Projects -----	111.6
DESIGN VOLUME		Material Arrangements -----	111.4
see DESIGN HOURLY VOLUME		DISTANCE, CLEAR	
DESIGN, FACTORS AFFECTING		Stopping Sight Distance on Horizontal Curves --	201.6
-----	401	DITCHES	
Bicycles -----	401.6	Grade -----	834.3
Driver -----	401.2	Side -----	303.2
Environment -----	401.4	Side -----	834.3
General -----	401.1	Slope -----	834.3
Pavement -----	611	DIVERGING	
Pedestrian -----	401.5	-----	62.8
Vehicle -----	401.3	DIVERSION	
DESIGN, OPERATIONAL FEATURES AFFECTING		Definition -----	806.2
-----	402	Definition -----	874
Accidents -----	402.2	DIVIDED HIGHWAY	
Capacity -----	402.1	-----	62.3
Undesirable Geometric Features -----	402.2	Grade Line -----	204.2
DESIGNATION, DESIGN		DIVIDED NONFREEWAY FACILITY	
Design Period -----	103.2	-----	108.1
Relation to Design -----	103.1	DIVISION OF DESIGN	
DETOURS		-----	10
-----	110.7	DOWEL BAR	
Local Roads Used as -----	106.2	-----	622.4
DETRITUS		Definition -----	62.7
Definition -----	806.2	DOWNDRAINS	
Definition -----	874	Definition -----	806.2
DHV		Flume -----	834.4
see DESIGN HOURLY VOLUME		Pipe -----	834.4
DIAMOND INTERCHANGE		DRAIN	
-----	502.2	Edge System (See EDGE DRAIN)	
DIKES		DRAINAGE	
Definition, Earthen -----	874	Area, Definition -----	806.2
Frontage Roads and Streets-----	303.6	Area -----	819.2
General Policy -----	303.1	Basic Policy -----	803.1
Guide, Earthen -----	873.4	Channels -----	861
PCC Grouted Riprap -----	873.4	Computer Programs -----	819.6
Position of -----	303.5	Computer Programs -----	825.3
Ramps -----	504.3		
Toe, Earthen -----	873.4		

Computer Programs	864.4
Cooperative Projects Policy	803.2
Course, Definition	806.2
Definition	806.2
Definition, Channel & Shore	874
Design Responsibility	802.1
Detention Basins	891.3
Divide, Definition	806.2
Easement, Definition	806.2
Economics of Design	801.5
Galleries	841.5
Glossary of Terms	806.2
Median	834.2
Objectives of Design	801.4
Pavement	650
by Pumping	839
Roadway	830
Section, Duties of	802.1
Subsurface	840
System, Definition	806.2

DRAINS

Anchorage	834.4
Benches	834.4
Entrance Standards	834.4
Geotextile	841.5
Horizontal	841.5
Outlet Treatment	834.4
Overside, Spacing & Location	834.4
Service Life	853.1
Slope	834.4
Subsurface Types	841.5

DRIVEWAYS

.....	205
Access Openings on Expressways	205.1
Commercial	205.3
Financial Responsibility	205.5
Frontage Roads	205.4
Local Standards	205.3
Pedestrian Access	205.3
Residential	205.3
Rural Areas	205.4
Urban	205.3

DRY WEATHER FLOWS

Definition	806.2
------------------	-------

E**EARTH RETAINING SYSTEMS**

Anchored Wall	210.2
Cantilever Wall	210.2
Concrete Gravity Wall	210.2
Counterfort Wall	210.2
Crib Wall; Concrete, Steel and Timber	210.2
Drainage	210.8
Electroliers and Signs	210.8

Footings	210.8
Gabion Basket Wall	210.2
Gravity Wall	210.2
L-Type Wall	210.2
Masonry Wall	210.2
Mechanically Stabilized Wall	210.2
Non-Gravity Cantilevered Walls	210.2
Proprietary	210.2
Reinforced Embankments	210.2
Rock Gravity Wall	210.2
Rock/Soil Anchors	210.2
Safety Railings	210.6
Salvaged Material Retaining Wall	210.2
Secant Soldier Pile Wall	210.2
Sheet Pile Wall	210.2
Slurry Diaphragm Wall	210.2
Soil Mix Wall	210.2
Soil Nail Wall	210.2
Soil Reinforcement Systems	210.2
Soldier Pile Wall with Lagging	210.2
Tangent Soldier Pile Wall	210.2
Tire Anchored Timber Wall	210.2
Utilities	210.8

EARTHQUAKE CONSIDERATIONS

.....	110.6
-------	-------

EASEMENT

.....	62.6
Definition	806.2

ECONOMIC ANALYSIS

see LIFE-CYCLE COST ANALYSIS

EDDY LOSS

Definition	806.2
------------------	-------

EDGE DRAIN

.....	606.3
System, Definition	62.7

ELECTROLIERS AND SIGNS

Walls	210.7
-------------	-------

EMBANKMENT

Definition	62.7
Side Slope Standards	304
Slopes at Structures	208.5
Structure Approach Embankment	208.11

EMINENT DOMAIN

.....	62.6
-------	------

ENCROACHMENT

.....	62.6
-------	------

END OF FREEWAY

Connections with Local Roads	106.2
------------------------------------	-------

ENDWALL

Definition	806.2
------------------	-------

ENERGY

Dissipator, Definition	806.2
Dissipator	827.2
Grade Line, Definition	806.2
Head, Definition	806.2

ENTRANCE

Design (Hydraulic)	826
Freeway Interchange	504.2
Head, Definition	806.2
Loss, Definition	806.2

ENVIRONMENTAL REQUIREMENTS

Bus Loading Facilities	108.2
Contractor's Yard and Plant Site	112
FHWA	108.3
Material Sites and Disposal Sites	111
Median Width	305.1
Project Development	81.1
Special Considerations	110

EQUALIZER

Definition	806.2
.....	826.3

EQUESTRIAN TRAILS

see TRAILS, MULTIPURPOSE

EQUESTRIAN UNDERCROSSINGS

.....	208.7
-------	-------

EQUIPMENT CROSSINGS

.....	208.8
-------	-------

EQUIVALENT SINGLE AXLE LOADS

Definition	62.7
Conversion ESAL to Traffic Index	613.3
ESAL Constants	613.3
Lane Distribution Factors	613.3
Projections, Truck Traffic	613.3

EROSION

And Accretion, Definition	806.2
Control, Channel & Shore	871.1
Control, Planting	902
Control, Water Pollution	110.2
Definition	806.2
Definition	874
Vegetative Control	62.5

EVAPORATION

Definition	806.2
.....	812.8
.....	814.4
.....	819.2

EXITS

Freeway Interchange	504.2
---------------------------	-------

EXPRESSWAY

.....	62.3
-------	------

F**FAA**

Abbreviation	61.1
Notice Requirements	207.3

FACTORS AFFECTING INTERSECTION DESIGN

see DESIGN, FACTORS AFFECTING

FALSEWORK

.....	204.8
Grade Line	204.8
Vertical Clearance	204.8
Width of Traffic Openings	204.8
Worker Safety	204.8

FAN

Definition	806.2
Definition	874

FEDERAL-AID

.....	40
Funding Determination	44
Programs (see also PROGRAMS)	43
System	42

FEDERAL LANDS PROGRAM

.....	43.4
-------	------

FENCES

.....	701
Approval	701.1
Barbed Wire, Type BW	701.2
Chain Link	701.2
Exceptions to Standard Types	701.2
Freeways and Expressways	701.2
Location of	701.2
Locked Gates	701.2
Median	701.2
on Other Highways	701.3
Policy and Purpose	701.1
Retaining Walls	210.6
Safety Roadside Rests	903.5
Standard Types	701.2
Vinyl-clad	705.1
Weathering Type Steel	705.1
Wire Mesh, Type WM	701.2

FETCH

Definition	874
------------------	-----

FHWA

Approval of Locked Gates	701.2
Approval of Mandatory Sites	111.6
Coordination With	108.3
Federal-aid	40
Liaison With	11.2

FILTER FABRIC

----- 841.5

FLAP GATES

Definition ----- 806.2
----- 821.6
----- 838.5

FLARED END SECTION

----- 826.3
----- 834.4

FLEXIBLE PAVEMENT

Definition ----- 62.7
Aged Residue (AR) ----- 632.1
Analytical Depth ----- 635.1
Bus Pads ----- 636.4
California R-value ----- 633.1
Climate Region ----- 632.1
Cold in-Place Recycled Asphalt ----- 635.1
Concrete Overlay ----- 635.1
Data Collection ----- 635.1
80th percentile Deflection ----- 635.1
Deflection Studies ----- 635.1
Emperical Method ----- 633.1
Engineering Analysis Software ----- 637
Full Depth Hot Mix Asphalt ----- 633.1
Gravel Equivalent ----- 633.1
Gravel factor (G_f) ----- 633.1
Grouping ----- 635.1
Hot Mix Asphalt (HMA) ----- 631
Hot Mixed Asphalt Base ----- 633.1
Hot Recycled Asphalt ----- 635.1
International Roughness Index (IRI) ----- 635.1
Intersections ----- 636.3
Lean Concrete Base (LCB) ----- 635.1
Lime Treated Subbase ----- 633.1
Mainline ----- 636.1
Mill and Overlay ----- 635.1
Open Graded Friction Course (OGFC) ----- 631.2
Park & Ride Facilities ----- 636.4
Pavement Condition Report ----- 635.1
Pavement Preservation ----- 634
Percent Reduction in Deflection ----- 635.1
Percent Reduction in deflection required
at the Milled depth ----- 635.1
Performance Factors ----- 632.2
Performance Graded (PG) ----- 632.1
Polymer modified binders ----- 632.1
RAC-G ----- 631.3
RAC-O ----- 631.3
Ramp Termini ----- 636.1
Reflective crack retardation ----- 635.1
Remove and Replace ----- 635.1
Rich-Bottom Concept ----- 633.1
Ride Quality ----- 635.1
Roadside Facilities ----- 636.4
Safety Roadside Rest Areas ----- 636.4
Rubberized Asphalt Concrete ----- 631.3
SAMI-F ----- 631.5

SAMI-R ----- 631.5
Shoulders ----- 636.2
Smoothness ----- 632.1
Stress Absorbing Membrane Interlayers (SAMI) - 631.5
Structural Adequacy ----- 635.1
Subgrade Enhancement Fabrics ----- 633.1
Test Sections ----- 635.1
Tolerable Deflection at the Surface (TDS) ----- 635.1
Tolerable Deflections ----- 635.1
Traffic Index (TI) ----- 633.1
Traveled Way ----- 636.1
Treated Permeable Base (TPB) ----- 633.1
Wearing Course ----- 631.2
Whitotopping ----- 635.1

FLOOD

Base ----- 818.1
Control Projects ----- 803.2
Design ----- 818.1
Design Criteria, Recommended ----- 821.3
Design Criteria, Recommended ----- 831.3
Greatest of Record ----- 821.3
Magnitude ----- 817
Maximum Historical ----- 818.1
Measurement ----- 817.2
Plain, Definition ----- 806.2
Plane, Definition ----- 806.2
Stage, Definition ----- 806.2
Stage, Definition ----- 874
Waters, Definition ----- 806.2
Waters, Definition ----- 874

FLOW

Channel ----- 816.6
Critical ----- 864.3
Definition ----- 806.2
Definition ----- 874
Line ----- 806.2
Subcritical ----- 864.3
Supercritical ----- 864.3

FREE

Outlet, Definition ----- 806.2
Water, Definition ----- 806.2

FREEBOARD

Definition ----- 806.2
----- 866

FREEWAY

----- 62.3
Entrances and Exits at Interchanges ----- 504.2
Landscape ----- 62.5
Landscape ----- 900

FREEWAY CONNECTIONS WITH EXISTING ROADS

----- 106.2

FREEWAY-TO-FREEWAY CONNECTIONS

-----	62.4
-----	504.4
Branch Connections -----	504.4
Grade Line -----	204.2
Grades -----	504.4
Lane Drops -----	504.4
Metering -----	504.3
Metering -----	504.4
Shoulder Width -----	504.4

FREEWAY-TO-FREEWAY INTERCHANGES

-----	502.3
-------	-------

FRENCH DRAINS

Definition -----	806.2
-----	841.5

FRICTION FACTORS

-----	202.1
-------	-------

FRONTAGE ROADS

-----	62.3
-----	310
Access Control -----	104.3
Cross Section -----	310.1
Curbs -----	303.6
Driveways -----	205.4
Financed by Others -----	104.3
Headlight Glare -----	310.3
Horizontal Clearance -----	309.1
Outer Separation -----	310.2
Railroad Crossings -----	104.3
Sidewalks -----	105.1

FUNDING

-----	44
Federal-Aid Eligibility -----	44.1
Federal Participation Ratio -----	44.2

FUNNELING

-----	403.1
-------	-------

G**GALLERIES**

Drainage -----	841.5
----------------	-------

GEOMETRIC CROSS SECTIONS

-----	300
Definition -----	62.1

GEOMETRIC DESIGN

Definition -----	62.4
Structure Standards -----	200
Undesirable Geometric Features, Intersections ---	402.2

GEOTECHNICAL DESIGN REPORT

-----	113
Content -----	113.2
Local Materials Sources -----	111.2
Policy -----	113.1
Side Slope Standards -----	304.1
Submittal and Approval-----	113.3

GORE

-----	62.4
Contrasting Surface Treatment -----	504.2
Paved Gore -----	504.2

GRADE

Cross Section, Position with Respect to -----	204.2
to Drain, Definition -----	806.2
Freeway Entrance Standards -----	504.2
Freeway Exit Standards -----	504.2
Freeway-to-freeway Connection Standards -----	504.4
General Controls -----	204.1
Horizontal Alignment, Coordination with -----	204.6
Ramps -----	504.2
Rolling Profile -----	204.1
Safety Roadside Rests -----	903.5
Separate Lines -----	204.7
Separation -----	62.4
Separation Structures -----	208
Separation, Pedestrian -----	105.2
Standards -----	204.3
Stopping Sight Distance at Crests -----	201.4
Stopping Sight Distance at Sags -----	201.5
Structures -----	204.8
Sustained Grades -----	204.5
Vertical Curves -----	204.4

GRADE LINE

Bridge Decks -----	204.8
Depressed, Under Structures -----	204.8
General -----	204.1
Separate -----	204.7
Structures -----	204.8

GRADE SEPARATION STRUCTURES

-----	208
Cattle Passes, Equipment, and Deer Crossings ---	208.8
Cross Slope -----	208.2
Curbs -----	303.5
Equestrian Undercrossing -----	208.7
Median -----	208.3
Open End Structures -----	208.5
Pedestrian -----	105.2
Pedestrian Overcrossings and Undercrossing ---	208.6
Railings -----	208.10
Railroad Underpasses and Overheads -----	208.9
Sidewalks -----	208.4
Widths -----	208.1

GRADIENT (SLOPE)

Definition -----	806.2
------------------	-------

GRADING PLANE	
Definition	62.7
GRATED LINE DRAIN	
.....	837.2
GRAVEL EQUIVALENT	
.....	604.3
GRAVITY WALL	
.....	210.2
GROIN	
.....	873.4
GROUND WATER	
Definition	806.2
.....	841.2
GUARDRAIL	
Bridge Approach Railings	208.10
References	702
GUIDE BANK	
.....	873.4
GUTTER PAN	
Cross Slope	303.2
General Policy	303.1
Uses, Curb Types	303.2
GUTTERS, SIDE	
.....	834.3
Capacity	836.2
Grade	836.2
Intersection, at	836.2
Types	836.1
Valley	836.2

H

HAULING	
Overloaded Material/Equipment , Design for	110.1
HEAD	
Available	821.4
HEADLIGHT SIGHT DISTANCE	
Grade Sags	201.5
HEADWAY	
.....	62.8
HIGHWAY	
.....	62.3
Capacity	102
Controlled Access	62.3
Conventional	62.3

Federal Lands Program	43.4
Landscape Architect Definitions	62.5
Major	62.3
National Highway System	42
Parkway	62.3
Pedestrian Facilities	105
Planting	62.5
Radial	62.3
Route Numbers	21.2
Scenic	62.3
Structures, Definitions	62.2
Structures, Grade Line	204.8
Through	62.3
Types, Definitions	62.3

HIGHWAY DESIGN MANUAL STANDARDS

.....	82.1
-------	------

HORIZONTAL ALIGNMENT

Aesthetic Factors	109.3
Alignment Consistency	203.3
Bridges	203.9
Broken Back Curves	203.7
Compound Curves	203.5
Curve Length and Central Angle	203.4
General Controls	203.1
Grade, Coordination with	204.6
Radius	203.2
Reversing Curves	203.6
Standards for Curvature	203.2
Spiral Transition	203.8

HORIZONTAL CLEARANCE

Bridges	309.1
Between Elevated Structures	309.4
Clear Distance	201.6
Noise Barriers	1102.2
Off-track Maintenance	309.5
Railroad Walkway	309.5
Railroads, Adjacent to	309.5
Retaining Walls	309.1
Structure	309.1
Tunnels	309.3

HORIZONTAL DRAINS

.....	841.5
-------	-------

HOT MIX ASPHALT CONCRETE BASE

also see BASE Engineering Criteria	663
--	-----

HOT MIXED ASPHALT

.....	631.1
also see FLEXIBLE PAVEMENT	

HYDRAULIC

Gradient, Definition	806.2
Jump, Definition	806.2
Mean Depth, Definition	806.2
Mean Depth	864.3
Radius, Definition	806.2

HYDRAULIC DESIGN DISCHARGE

Empirical Methods	819.2
Field Investigation	815.3
Hydrograph Methods	816.5
Rational Methods	819.2
Regional Analysis	819.2
Statistical Methods	819.3
Summary of Methods	819.1

HYDROGRAPH

Definition	806.2
.....	816.5
SCS Triangular	819.4
Synthetic	819.4
Unit	819.4

HYDROGRAPHY

Definition	806.2
------------------	-------

HYDROLOGIC DATA

Basin Characteristics	812
Federal Agencies	815.3
Field Investigations	815.3
Precipitation	815.2
Precipitation	815.3
Rainfall	815.5
Sources	815.3
Stream Flow	815.4
Surface Runoff	815.2
Transfer of Data	819.5

HYDROLOGICAL ANALYSIS

Gumbel Extreme Value Distribution	819.3
Log Normal Distribution	819.3
Log Pearson Type III Distribution	819.3
Objectives	811.2
Rational Methods	819.2
Regional Analysis Methods	819.2
SCS Triangular Hydrograph	819.4
Synthetic Hydrograph	819.4
Unit Hydrograph	819.4

HYDROLOGY

Definition	806.2
.....	811.1

HYDROPLANING

Definition	831.4
------------------	-------

I**INFILTRATION**

.....	606.3
.....	819.2
Definition	806.2

INITIAL CONSTRUCTION

and Stage	106.1
-----------------	-------

INLETS

Combination	837.2
Curb Opening	837.2
Grate	837.2
Hydraulic Design	837.4
Location and Spacing	837.3
Pipe Drop	837.2
Time, Definition	806.2
Transition	826.4
Types	837.2
Use of	837.1

INSPECTION STATIONS, BORDER

.....	107.3
-------	-------

INTERCHANGES

Access Control	504.8
Aesthetic Factors	109.3
Approval of Design	503.2
Auxiliary Lanes	504.5
Cloverleaf	502.2
Concepts	501.1
Data Required for Design	503.1
Definition	62.4
Design, Procedure	503
Design, Standards	504
Diamond	502.2
Elements	62.4
Freeway Entrances and Exits, Design	504.2
Freeway-to-freeway	502.3
Freeway-to-freeway Connections, Standards	504.4
Freeway-to-freeway, Minimum Design Speed	504.4
Freeway-to-freeway Omission of Movements	502.3
Grade Separations	62.4
Grades Exits/Entrances	504.2
Lane Reduction	504.6
Local Streets	502.2
Parallel Street Systems	502.2
Ramps	504.3
Sight Distance for Planting	902.2
Single Point Interchange	502.2
Spacing	501.3
Traffic	500
Trumpet	502.2
Two-quadrant Cloverleaf	502.2
Types	502
Warrants	501.2
Weaving Sections	504.7
also see RAMPS	

**INTERMODAL SURFACE TRANSPORTATION
EFFICIENCY ACT (ISTEA)**

.....	40
-------	----

INTERSECTION

Access Control	405.6
Accidents	402.2
Angle of Intersection	403.3
Areas of Conflict	403.2
Bicycle, Affecting Design of	401.6
Capacity	402.1

Capacity, Ramps -----	406		
Channelization -----	403		
Definition -----	62.4		
Design, Factors Affecting -----	401		
Design, Operational Features Affecting -----	402		
Design, Standards -----	405		
Design Vehicle -----	404		
Driver, Affecting Design of -----	401.2		
Environment, Affecting Design of -----	401.4		
General, Factors Affecting Design -----	401.1		
at Grade -----	400		
Grade Separations -----	62.4		
Left-turn Channelization -----	405.2		
Major Movement, Preference to -----	403.1		
Median Openings -----	405.5		
Operational Features -----	402		
Pedestrian, Affecting Design of -----	401.5		
Points of Conflict -----	403.4		
Precautions -----	403.12		
Prohibited Turns -----	403.8		
Public Road -----	405.7		
Ramp -----	406		
Refuge Area -----	403.7		
Returns and Corner Radii, City Street -----	405.8		
Right-turn Channelization -----	405.3		
Sight Distance -----	405.1		
Signal Control -----	403.9		
Speed-change Areas -----	403.5		
Traffic Control Devices -----	403.10		
Traffic Islands -----	405.4		
Turning Traffic -----	403.6		
Undesirable Geometric Features -----	402.2		
Vehicle, Affecting Design of -----	401.3		
Widening at Signalized Intersections -----	405.9		
INTERSTATE			
Funding -----	42.2		
Numbering -----	21.2		
INUNDATE			
Definition -----	806.2		
INVERSE CONDEMNATION			
-----	62.6		
INVERT			
Definition -----	806.2		
Paving, Definition -----	806.2		
Paving -----	854.1		
Protection -----	854.1		
INVERTED SIPHON			
Definition -----	806.2		
-----	829.7		
IRRIGATION SYSTEM			
Crossover Conduits -----	706.4		
ISLAND			
-----	62.4		
Traffic -----	405.4		
ISOHYETAL			
Line, Definition -----	806.2		
Map, Definition -----	806.2		
ISOVEL			
Definition -----	806.2		
Definition -----	874		
ISTEA			
-----	41.1		
-----	42.2		
J			
JACK			
Definition -----	806.2		
Definition -----	874		
JACKING OPERATIONS			
Definition -----	806.2		
JETTY			
Definition -----	806.2		
Definition -----	874		
Types -----	873.4		
JOINT			
Longitudinal -----	62.7		
Pavement -----	622.3		
Seals -----	62.7		
JOINT BANK PROTECTION COMMITTEE			
-----	802.3		
JOINT PLAIN CONCRETE PAVEMENT			
-----	621.1		
also see RIGID PAVEMENT			
JOINTS			
Culverts -----	829.4		
JUNCTION STRUCTURES			
-----	838.5		
K			
KINEMATIC WAVE EQUATION			
-----	816.6		
KIRPICH EQUATION			
-----	816.6		
K-RAIL			
-----	204.8		

L**L-TYPE WALL**

----- 210.2

LAG

Definition ----- 806.2

LAMINAR FLOW

Definition ----- 806.2

LANDSCAPE

Aesthetic Factors ----- 109.3
 Architecture ----- 62.5
 Architecture ----- 900
 Highway ----- 62.5

LANE

Addition ----- 206.2
 Addition on Ramps ----- 504.3
 Auxiliary ----- 62.1
 Auxiliary ----- 504.5
 Climbing ----- 204.5
 Climbing ----- 206.2
 Deceleration ----- 405.2
 Deceleration ----- 405.3
 Definitions ----- 62.1
 Distribution Factors ----- 602.3
 Drops ----- 206.3
 Drops on Freeway-to-freeway Connectors ----- 504.4
 Drops on Ramps ----- 504.3
 Left Turn ----- 405.2
 Numbering ----- 62.1
 Passing ----- 204.5
 Reductions ----- 206.3
 Reduction at Interchanges ----- 504.6
 Right Turn ----- 405.3
 Separate Turning ----- 403.6
 Speed Change ----- 403.5
 Two-way Left-turn Lanes ----- 405.2
 Width ----- 301.1
 Width on Curves ----- 504.3
 Width of Opening for Falsework ----- 204.8

LATERAL

Definition ----- 806.2
 ----- 838.4
 ----- 838.5

LEAN CONCRETE BASE

See BASE
 Definition ----- 62.7
 Engineering Criteria ----- 663
 Design, Flexible (Asphalt) Pavement ----- 633.1
 Design, Rigid (Concrete) Pavement ----- 623.1

LEFT-TURN CHANNELIZATION

----- 405.2

LEFT-TURN REFUGE

----- 403.7

LEGISLATION

----- 41
 ISTEA ----- 41.1

LEVEE

Definition ----- 806.2

LEVEL OF SERVICE

----- 62.8

LIFE-CYCLE COST ANALYSIS (LCCA)

----- 619

LIME

Treatment Definition ----- 614.4
 Use of ----- 633.1

LIME TREATED SUBBASE

see SUBBASE

LININGS

Channel ----- 873.3

LOAD TRANSFER DEVICE

See DOWEL BAR

LOADING FACILITIES

Bus ----- 108.2

LOCAL STREETS/ROADS

Cross Section ----- 308.1
 Definition ----- 62.3
 Design Speed ----- 101.1
 Driveways ----- 205.3
 Grade ----- 204.1
 Horizontal Alignment ----- 203.1
 Interchanges ----- 502.2
 Returns and Corner Radii ----- 405.8
 Superelevation ----- 202.7

LOCKED GATES

----- 701.2

LOG OF TEST BORINGS

----- 210.8

M**MAINTAINABILITY**

Pavement ----- 618.1

MAINTENANCE

Definitions ----- 62.7

MAINTENANCE YARDS

On Freeways ----- 107.2

MANDATORY MATERIAL SITES

Federal-aid Projects	111.6
----------------------------	-------

MANDATORY STANDARDS

.....	82.1
-------	------

MANNING

Equation	864.3
Roughness Coefficient	851.2
Roughness Coefficient	864.3

MARKERS

.....	702.1
Contrast Treatment	704.1

MATERIALS

Availability, Pavement	617.1
Color Selection for Steel Structures	705.2
Conservation of	110.11
Hauling, Overloaded Design	110.1
Information Furnished to Prospective Bidders ---	111.3
Plants	112
Recycling, Pavement	617.2
Report (see MATERIALS REPORT)	
Sites	111
Sites, Acquisition	111.5
Sites, Arrangements	111.4
Sites, Environmental Requirements	111.1
Sites, Investigation of Local Sources	111.2
Sites, Mandatory	111.6
Special Treatment	705.1

MATERIALS REPORT

Content	114.3
Local Materials Sources	111.2
Policy	114.1
Preliminary	114.4
Requesting	114.2
Retention of Records	114.5
Reviews	114.5

MAXIMUM COMFORTABLE SPEED

Chart.....	202.2
Superelevation	202.2

MAY

Definition and Usage	82.1
----------------------------	------

MEAN VELOCITY

.....	864.3
-------	-------

MECHANISTIC-EMPERICAL

.....	606.3
-------	-------

MEDIAN

.....	62.1
Aesthetic Factors	109.3
Barriers	305.3
Cross Slope	305.2
Curbs	305.4
Decking on Bridge	208.3

Fencing	701.2
Grade	834.2
Lane	62.1
Left-turn Lane	405.2
Openings	405.5
Paved	305.5
Position	303.5
Separate Roadways	305.6
Standards	305
Width	305.1

MERGING

Definition	62.8
------------------	------

METEOROLOGY

Evapo-transpiration	814.4
Rainfall	814.2
Snow	814.3
Tides and Waves	814.5
Tsunami	814.5

METERING

.....	504.3
Definition	62.8
Freeway-to-Freeway Connections	504.4
Lane Merges	206.3
Ramp Lane Drops	504.3

MINIMUM TURNING RADIUS

Definition	62.4
------------------	------

MISCELLANEOUS STANDARDS

.....	700
Fences	701
Guardrail	702
Mailboxes	702
Markers	702

MUD FLOW

Definition	806.2
------------------	-------

MULTILANE CROSS SECTIONS

All Paved	307.5
Divided	307.4

MULTIPLE LANES

Definition	62.1
------------------	------

MULTIPLE PIPES

.....	824.2
-------	-------

N**NATIONAL HIGHWAY SYSTEM**

.....	42.1
-------	------

NAVIGABLE WATERS

Definition	806.2
------------------	-------

NEGATIVE PROJECTING CONDUIT

Definition ----- 806.2

NOISE ABATEMENT

----- 1100

By Others ----- 1101.2

Objective ----- 1101.2

Prioritizing ----- 1101.5

Terminology ----- 1101.3

NOISE BARRIERS

Aesthetics ----- 1102.6

Alternate Designs ----- 1102.5

Clearances ----- 1102.2

Design Criteria ----- 1102

Design Procedures ----- 1102.5

Drainage Openings ----- 1102.9

Emergency Access ----- 1102.8

Heights ----- 1102.3

Lengths ----- 1102.4

Location ----- 1102.2

Maintenance Considerations ----- 1102.7

Pay Quantities ----- 1102.5

Planting ----- 1102.6

Preliminary Site Data ----- 1102.5

Sight Distance Requirements ----- 1102.2

NONFREEWAY FACILITIES

Conversion to Divided ----- 108.1

NONMOTORIZED TRAFFIC

Provisions for ----- 104.3

NORMAL DEPTH

Definition ----- 806.2

----- 864.2

O**OFFICE OF**

State Landscape Architecture ----- 901.1

OFF-SITE DRAINAGE

Definition ----- 806.2

OFFTRACKING

----- 404.1

ON-SITE DRAINAGE

Definition ----- 806.2

OPEN CHANNEL

Alignment and Grade ----- 862.2

Changes ----- 865

Definition ----- 806.2

Design Consideration ----- 865.2

Discharge Computations ----- 864.3

Flow Characteristics ----- 864.2

Linings ----- 873.3

Unlined ----- 862.2

OUTER SEPARATION

Definition ----- 62.1

----- 310.2

OUTFALL

Definition ----- 806.2

Definition ----- 874

OUTWASH

Definition ----- 806.2

Definition ----- 874

OVERFLOW

Channel ----- 861.5

Definition ----- 874

OVERLAND FLOW

----- 816.6

OVERLAYS

Asphalt On Structure Decks ----- 607.6

Definitions ----- 62.7

OVERLOADS

Design for ----- 110.1

P**PAINTING**

Concrete ----- 705.1

Steel ----- 705.2

PARALLEL STREET SYSTEMS

Interchanges ----- 502.2

PARK AND RIDE LOTS

Pavement Structural Section Design ----- 604.7

PARKWAY

Definition ----- 62.3

PARTIAL ACQUISITION

Definition ----- 62.6

PASSING LANE

----- 204.5

PASSING SIGHT DISTANCE

----- 201.2

PAVEMENT/PAVEMENT STRUCTURE

Capital Preventive Maintenance ----- 603.3

Composite see COMPOSITE PAVEMENT

Condition Survey ----- 603.8

Cross Slopes ----- 301.2

Definition ----- 62.7

Design Life ----- 612

Detours ----- 603.6

Drainage, Impact of	651.1
Flexible see FLEXIBLE PAVEMENT	
Joints	622.3
Layers	602
New	603.1
Performance see PAVEMENT SERVICE LIFE --	62.7
Portland Cement Concrete	603
Preservation	603.3
Reconstruction	603.5
.....	602.2
Reductions	206.3
Rehabilitation, Pavement	603.3
Rehabilitation, Roadway	603.4
Rehabilitation, Definition	62.7
Rigid see RIGID PAVEMENT	
Service Life, Definition	62.7
Structure	62.7
Temporary	603.6
Transitions	206
Transitions for Freeways, Temporary	206.4
Type Selection	611.2
Types of Projects	603
Widening	603.2
Width	301.1
PEAK FLOW	
Definition	806.2
Definition	874
.....	811.3
PEDESTRIAN FACILITIES	
.....	105
Accessibility Requirements	105.3
Bridges	208.4
Conventional Highways	105.1
Curb Ramps, Guidelines	105.4
Freeway Facilities	105.1
Frontage Roads	105.1
Grade Separations	105.2
Overcrossings	105.2
Overcrossings	208.6
Railings	208.10
Refuge Areas	403.7
Replacement in Kind	105.1
School Walkways	105.1
Sidewalks	105.1
Sidewalks, Structures	208.4
Undercrossings	105.2
Undercrossings	208.6
PENETRATION TREATMENT	
.....	604.6
PERCHED WATER	
Definition	806.2
.....	841.4
PERCOLATING WATERS	
Definition	806.2

PERMEABILITY

.....	806.2
.....	841.2
Definition	806.2

PHYSICALLY DISABLED PERSONS

See ACCESSIBILITY REQUIREMENTS

PIPE

Cast in Place Concrete	854.2
Culverts	828.2
Culverts	828.3
Metal Service Life	854.3
Metal Service Life	854.4
Metal, Strength Requirements	854.3
Metal, Strength Requirements	854.4
Metal, Strength Requirements	854.5
Metal, Strength Requirements	854.6
Minimum Cover	854.9
Minimum Diameter	838.4
Multiple	824.2
Plastic	854.8
Protective Coatings	854.3
Reinforced Concrete, Strength Requirements ----	854.1
Standards for Drain	838.4

PIPING

Definition	806.2
.....	829.3

PLANT SITES/CONTRACTOR'S YARD

.....	112
-------	-----

PLANTING

Aesthetic Factors	109.3
Design	902
Guidelines	902.3
Highway	62.5
Irrigation	902.4
Replacement	62.5
Restoration	62.5
Safety Requirements	902.2
Safety Roadside Rests	903.5
Sight Distance	902.2
Trees	902.3
Vista Points	904.3
Water Supply	706.5

PLASTIC COATINGS

.....	854.3
-------	-------

POINT OF CONCENTRATION

Definition	806.2
------------------	-------

POINTS OF CONFLICT

Intersections	403.4
---------------------	-------

POLICE FACILITIES

----- 107.2

POLLUTION CONTROL

Air ----- 110.3

Water ----- 110.2

PONDING

----- 821.4

PORTLAND CEMENT CONCRETE

Channel Linings ----- 872.2

Pavement see RIGID PAVEMENT

POSITIVE PROJECTING CONDUIT

Definition ----- 806.2

POTAMOLOGY

Definition ----- 806.2

PRECAST PANEL CONCRETE PAVEMENT

----- 621.3

also see RIGID PAVEMENT

PRECIPITATION

Area, Definition ----- 806.2

Definition ----- 806.2

Definition ----- 874

Mean Annual ----- 819.2

Point, Definition ----- 806.2

PRELIMINARY HYDRAULIC DATA

----- 805.1

PRESENT WORTH

see ECONOMIC ANALYSIS

PRIORITY NETWORK

42 000 km ----- 309.2

PRIVATE ROAD CONNECTIONS

----- 205.2

Financial Responsibility ----- 205.5

Sight Distance ----- 405.1

PROCEDURAL REQUIREMENTS

----- 82.4

PROGRAMS, FEDERAL-AID

Bridge Replacement and Rehabilitation Program -- 43.3

Congestion Mitigation and Air Quality Improvement

Program (CMAQ) ----- 43.2

Federal Lands Program ----- 43.4

Special Programs ----- 43.5

Surface Transportation Program (STP) ----- 43.1

PROHIBITED TURNS

----- 403.8

PROJECTING BARREL

----- 826.3

PROJECTING ENDS

----- 826.3

PROPRIETARY ITEMS

----- 110.10

Earth Retaining Systems ----- 210.2

PROTECTION OF ACCESS RIGHTS

----- 104.4

PROTECTION OF WETLANDS

see WETLANDS

PROTECTIVE COATINGS

----- 854.3

PUBLIC ROAD INTERSECTION

----- 405.7

Sight Distance ----- 405.1

PULL OUTS

see TURNOUTS

PUMPING

Definition ----- 62.7

PUMPING PLANT

----- 839.1

R**R-VALUE**

see CALIFORNIA R-VALUE

RADIAL HIGHWAY

Definition ----- 62.3

RADIUS

Curb ----- 405.8

Horizontal Alignment ----- 203.2

RAILINGS

Bicycle ----- 208.10

Bridge ----- 208.10

Bridge Approach ----- 208.10

Chain Link ----- 208.10

Earth Retaining Systems ----- 210.6

Guardrail ----- 208.10

Guardrail ----- 702.1

Pedestrian ----- 208.10

Vehicular ----- 208.10

RAILROAD

Clearances ----- 309.5

Crossings ----- 104.3

Grade Line of Structures ----- 204.8

Overheads ----- 208.9

Slope Treatment, Structures ----- 707

Underpasses ----- 208.9

RAINFALL

Definition	806.2
Sources of Data	815.3

RAIN GAGE

.....	819.5
-------	-------

RAINWASH

Definition	806.2
Definition	874

RAMPS

Curbs on	504.3
Curb Ramps	105.4
Definition	62.4
Dikes	504.3
Distance Between Exits	504.3
Distance Between On-Ramps	504.3
Entrance and Exit	504.2
Grade	504.2
Grade Line	204.2
Grade, Standards	204.3
Hook	502.2
Intersection Capacity	406
Intersections on Crossroad, Location of	504.3
Lane Drops	504.3
Loop	504.3
Metering (see METERING)	
Pavement, Flexible	636.1
Pavement, Rigid	626.1
Pavement, Traffic Considerations	613.5
Pavement Transitions	206
Single Lane	504.3
Structural Design	602.3
Structural Design	603.5
Structural Design	604.5
Superelevation	504.3
Tapers	206.3
Termini, Flexible Pavement	636.1
Termini, Rigid Pavement	626.1
Transitions	504.3
Two-lane Entrance	504.3
Two-lane Exit	504.3
Widening for Trucks	504.3

RATIONAL METHOD

.....	819.2
-------	-------

RAVELING

Definition	62.7
------------------	------

REACH

Definition	806.2
Definition	874

RECORD KEEPING

Documentation, Type of Pavement	605.1
Revisions	605.2

RECOVERY AREA

.....	309.1
-------	-------

RECYCLING, ASPHALT CONCRETE

General	110.11
Hot, Definition	62.7

REFUGE AREAS

.....	403.7
-------	-------

REGIME

Definition	806.2
Definition	874

REHABILITATION, PAVEMENT

Capital Preventive Maintenance, part of	603.3
Definitions	62.7
Design Life	612.4
Composite	645
Flexible Pavement	635
Rigid Pavement	625

REHABILITATION, ROADWAY

.....	603.4
Definitions	62.7
Design Life	612.4
Composite Pavement	645
Flexible Pavement	635
Rigid Pavement	625

REINFORCED EARTH SLOPES

.....	210
-------	-----

RELICION

Definition	806.2
------------------	-------

RELINQUISHMENT

Definition	62.6
------------------	------

REPLACEMENT IN-KIND

Sidewalks	105.1
-----------------	-------

REPLACEMENT PLANTING

Aesthetic Factors	109.3
Definition	62.5

RESEARCH/SPECIAL DESIGNS

Research, Experimentation	606.1
Special Designs	606.2
Mechanistic-Empirical Design	606.3

RESROUCES

Other, Pavement	604.2
-----------------------	-------

RESTORATION PLANTING

Aesthetic Factors	109.3
Definition	62.5

RESURFACING

Definition	62.7
see PRESERVATION, PAVEMENT	
see REHABILITATION, PAVEMENT	
see REHABILITATION, ROADWAY	

RETAINING WALLS

-----	210
Aesthetic Considerations -----	210.5
Construction Methods and Types -----	210.2
Guidelines for Plan Preparation -----	210.8
Safety Railing, Fences, and Concrete Barriers ---	210.6

RETARD

Types -----	873.4
-------------	-------

RETARDING BASIN

Definition -----	806.2
------------------	-------

RETENTION BASIN

Definition -----	806.2
------------------	-------

RETROGRESSION

Definition -----	806.2
------------------	-------

RETURN WALLS

-----	210.8
-------	-------

RETURNS, CITY STREET AND CORNER RADII

-----	405.8
-------	-------

REVEGETATION

-----	62.5
Aesthetic Factors -----	109.3

REVERSING CURVES

-----	203.6
Superelevation Transitions -----	202.5

REVTMENT

Definition -----	806.2
Definition -----	874

RIGHT OF ACCESS

Definition -----	62.6
------------------	------

RIGHT OF WAY

Definitions -----	62.6
Through Public Domain -----	306.2
Width -----	306.1

RIGHT-TURN CHANNELIZATION

-----	405.3
-------	-------

RIGID PAVEMENT

Catalog -----	623.1
Definition -----	62.7
Design Procedure for -----	623
Engineering Properties -----	622.1
Joints -----	622.5
New Construction -----	623
Mechanistic-Empirical Procedures -----	606.3
Pavement Preservation -----	624
Performance Factors -----	622.2
Reconstruction -----	623
Rehabilitation -----	625
Texturing -----	622.7

Types -----	621
also see CONCRETE	

RIPARIAN

Definition -----	806.2
Definition -----	874

RIPRAP

Definition -----	806.2
Definition -----	874
-----	827.2
-----	873.3

RISER

Culvert Entrance -----	822.2
Definition -----	806.2

RISK ANALYSIS

Definition -----	806.2
-----	818.2

ROADBED

Definition -----	62.1
-----	62.7

ROADSIDE INSTALLATIONS

-----	107
Border Inspection Stations, Location of -----	107.3
Define Roadside -----	62.1
Maintenance Yards and Police Facilities -----	107.2
Roadway Connections -----	107.1

ROADSIDE RESTS, SAFETY

Definition -----	62.5
Design Standards -----	903
Facilities and Features -----	903.5
Fencing -----	903.5
Grading -----	903.5
Minimum Standards -----	903.1
Pavement Design -----	613.5
Pavement, Flexible -----	636.4
Pavement, Rigid -----	626.4
Planting and Irrigation -----	903.5
Site Feasibility -----	903.4
Size and Capacity -----	903.5
Water Supply -----	110.2
Water Supply -----	706.6
Water Supply -----	903.5

ROADSIDE TREATMENT

Irrigation Crossover Conduits -----	706.4
Roadside Management -----	706.1
Topsoil -----	706.3
Vegetation Control -----	706.2
Water Supply -----	706.5

ROADWAY

Connections -----	107.1
Definition -----	62.1
Drainage -----	830
Structural Elements -----	601.2

ROCKFALL RESTRAINING NETS

----- 703.2

ROUNDED INLET

Definition ----- 806.2

ROUNDED LIP

----- 826.3

RRR CRITERIA

Design Period ----- 103.2
Left-Turn Lanes ----- 405.2
Multi lane Cross Section ----- 307.6
Pavement Design Life ----- 612.5
Two-lane Cross Section ----- 307.3

RUNNING

Speed ----- 62.8
Time ----- 62.8

RUNOFF

----- 816
Drainage, Definition ----- 806.2
Factors Affecting ----- 811.5
Superelevation Transition ----- 202.5

RURAL AND SINGLE INTERSTATE ROUTING

----- 309.2

RUTTING

Definition ----- 62.7

S**SAFETY**

Planting ----- 902.2
Planting and Irrigation ----- 902.1
Railings on Walls ----- 210.5
Reviews ----- 110.8
Roadside Rests ----- 903
Tunnel Safety Orders ----- 110.12
Worker ----- 110.7
Worker, Falsework Clearance ----- 204.8

SAFETY ROADSIDE RESTS

Definition ----- 62.5
Design Standards ----- 903
Facilities and Features ----- 903.5
Fencing ----- 903.5
Grading ----- 903.5
Minimum Standards ----- 903.1
Planting and Irrigation ----- 903.5
Sewage Facilities ----- 903.5
Site Feasibility ----- 903.4
Size and Capacity ----- 903.5
Water Supply ----- 706.6
Water Supply ----- 903.5

SAG CULVERT

Definition ----- 806.2
----- 829.7

SCENIC

Highway ----- 62.3
Values ----- 109
Values, Safety Roadside Rests ----- 903.4

SCENIC VALUES IN PLANNING AND DESIGN

----- 109
Aesthetic Factors ----- 109.3
Basic Precepts ----- 109.1
Design Speed ----- 109.2

SCHOOL PEDESTRIAN WALKWAYS

----- 105.1

SCOUR

Definition ----- 806.2
Definition ----- 874
----- 827.2

SEAL

Fog ----- 604.6
Slurry ----- 603.2

SEDIMENTATION

Definition ----- 806.2
Definition ----- 874
----- 823.2
----- 862.2
----- 865.2

SEPARATE ROADWAY

----- 305.6

SEPARATION, OUTER

see OUTER SEPARATION
Design, Drains ----- 852.1

SERVICEABILITY

Definition ----- 62.7

SETTLEMENT

Definition ----- 62.7
Structure Approach ----- 208.11

SEVERANCE DAMAGES

----- 62.6

SHALL

Definition and Usage ----- 82.1

SHEET FLOW

Definition ----- 806.2

SHOALING

Definition ----- 806.2

September 1, 2006

SHOULD

Definition and Usage	82.1
----------------------------	------

SHOULDER

Cross Slope	302.2
Definition	62.1
Pavement, Flexible	636.2
Pavement, Rigid	626.2
Standards, Geometric	302
Standards, Pavement	613.5
Superelevation Transitions	202.5
Transitions (Widen, Reduction)	206
Width	302.1
Width, Right Turn Channelization	405.3
Width, Two-lane Roads, New Construction	307.2

SIDE GUTTERS/DITCHES

.....	834.3
-------	-------

SIDE SLOPES

.....	304
Benches and Cut Widening	304.3
Clearance to Right of Way Line	304.2
Contour Grading and Slope Rounding	304.4
Standards	304.1
Stepped	304.5
Structures	208.5
Transition Slopes	304.1
Widening	304.3

SIDEWALKS

See PEDESTRIAN FACILITIES

SIGHT DISTANCE

Clear Distance (m)	201.6
Corner	405.1
Decision	201.7
Decision at Intersections	405.1
Exit Nose	504.2
General	201.1
Headlight, at Grade Sags	201.5
Intersection	405.1
Passing	201.2
Planting	902.2
Ramp Intersections	504.3
Standards	201.1
Stopping	201.3
Stopping at Grade Crests	201.4
Stopping at Grade Sags	201.5
Stopping on Horizontal Curves	201.6
Stopping at Intersections	405.1

SIGNAL CONTROL

.....	403.9
-------	-------

SIGNALIZED INTERSECTION

Widening	405.9
----------------	-------

SIGNS

Vertical Clearance	309.2
--------------------------	-------

SILT

Definition	806.2
Definition	874

SILTATION

.....	110.2
-------	-------

SIPHONS

.....	829.7
-------	-------

SKEW

Angle	62.4
Angle of Intersection	403.3
Definition (Hydraulic)	806.2

SLIDE

Definition	806.2
Definition	874

SLIPOUT

Definition	806.2
Definition	874

SLOPE

Aesthetic Factors	109.3
Cross	301.2
Crown	301.2
Definition (Hydraulic)	806.2
Definition (Hydraulic)	874
Paving	873.3
Protection	873.3
Shoulder Cross Slopes	302.2
Side	304
Side, Benches and Cut Widening	304.3
Standards, Side Slopes	304.1
Treatment Under Structures	707

SLOPE TREATMENT UNDER STRUCTURES

.....	707
Guidelines	707.2
Policy	707.1
Procedure	707.3

SLOTTED DRAINS

.....	837.2
-------	-------

SLOUGH

Definition	806.2
Definition	874

SLUG FLOW

Definition	806.2
------------------	-------

SNOW PACK

.....	812.8
.....	814.3

SOFFIT

Definition	806.2
------------------	-------

SOIL

Characteristics for Pavements	614.1
Topsoil	706.3
Unified Soil Classification System	614.2

SPACING

Drainage Pipes	824.2
Vehicle	62.8

SPECIAL CONSIDERATIONS

.....	110
Air Pollution, Control of	110.3
Control of Noxious Weeds	110.5
Earthquake Consideration	110.6
Overloaded Material Hauling, Design for	110.1
Safety Reviews	110.8
Traffic Control Plans	110.7
Water Pollution, Control of	110.2
Wetlands Protection	110.4

SPECIAL DESIGNS

See RESEARCH/SPECIAL DESIGNS

SPECIAL STRUCTURES AND INSTALLATION

.....	703
-------	-----

SPECIFIC ENERGY

Definition	806.2
.....	864.3

SPEED, COMFORTABLE

Superelevation	202.2
----------------------	-------

SPEED, DESIGN

see DESIGN SPEED

SPEED, RUNNING

Definition	62.8
------------------	------

SPEED-CHANGE LANES

.....	62.1
Intersections	403.5
Left-turn Channelization	405.2
Pavement Transitions	206
Right-turn Channelization	405.3

SPILLWAY

Paved	834.4
-------------	-------

SPIRAL TRANSITIONS

.....	203.8
-------	-------

STABILIZATION TRENCHES

.....	841.5
-------	-------

STAGE

Definition	806.2
------------------	-------

STAGE CONSTRUCTION

.....	106.1
-------	-------

Freeway Connections with Local Roads	106.2
--	-------

STANDARDS

.....	80
Advisory	82.1
Approval for Nonstandard Design	82.2
FHWA and AASHTO	82.3
Mandatory	82.1
Permissive	82.1

STATE HIGHWAY, CROSS SECTIONS

.....	307
-------	-----

also see CROSS SECTIONS

STEEL STRUCTURES

Colors	705.2
--------------	-------

STEPPED SLOPES

.....	304.5
-------	-------

STOPPING SIGHT DISTANCE

see SIGHT DISTANCE

STORAGE

.....	838.4
Basin, Definition	806.2
Definition	806.2
Definition	874
Depression	819.2
Detention	812.6
Interception	812.6
Left-turns	405.2
Retention, Definition	806.2
Right-turns	405.3

STORM

Definition	806.2
Definition	874
Design, Establishing	818.2
Design, Recommended Criteria	821.2
Drain, Definition	806.2

STP

see SURFACE TRANSPORTATION PROGRAM

STREAM WATERS

Definition	806.2
Definition	874

STREETS

Definitions	62.3
-------------------	------

STRUCTURAL PLATE

Arches	854.6
Vehicular Underpasses	854.6

STRUCTURAL SECTION

see PAVEMENT STRUCTURE

STRUCTURE APPROACH

Design Responsibilities	601.3
-------------------------------	-------

Foundation: Embankment Design	208.11
Pavement Systems	672
Slab-New Construction Projects	208.11
Slab-Rehabilitation Projects	673

STRUCTURE CLEARANCE

.....	309
Elevated Structures	309.4
Horizontal	309.1
Railroad	309.5
Tunnel	309.3
Vertical	309.2

STRUCTURES, SLOPE TREATMENT UNDER

See SLOPE TREATMENT

STRUTTING

Definition	806.2
------------------	-------

SUBBASE

Definition	62.7
Description	602.1
Engineering Criteria	663
Lime Treated	662.2
Treated	662.2

SUBCRITICAL FLOW

Definition	806.2
.....	864.3

SUBDRAIN

Definition	806.2
.....	841.5

SUBGRADE

.....	614
Definition	62.7
Description	602.1
Engineering Considerations	614.1
Enhancement Fabrics	614.5

SUBSEAL

.....	607.6
-------	-------

SUBSURFACE DRAINAGE

.....	840
-------	-----

SUMP

Definition	806.2
.....	831.3

SUPERCritical FLOW

Definition	806.2
.....	864.3

SUPERELEVATION

Axis of Rotation	202.4
Basic Criteria	202.1
Bridge	203.9
Channels	866.2
City Streets and County Roads	202.7
Comfortable Speeds	202.2

Compound Curves	202.6
Ramps	504.3
Relationship to Speed on Curves	203.2
Reversing Curves	203.6
Runoff	202.5
Standards	202.2
Transition	202.5

SURFACE

Course, Definition	62.7
Course, Description	602.1
Runoff, Definition	806.2
Water, Definition	806.2
Water	831.1

SURFACE TRANSPORTATION PROGRAM

.....	43.1
-------	------

SWALE

Definition	806.2
------------------	-------

T**TAPERED INLET**

Definition	806.2
.....	826.4

TEXTURING

Rigid Pavement	622.7
----------------------	-------

THREE-CENTER CURVE

Intersections	405.7
---------------------	-------

TIME OF CONCENTRATION

Channel Flow	816.6
Combined Flow	816.6
Culvert Flow	816.6
Kinematic Wave Equation	816.6
Kirpich Equation	816.6
Overland Equation	816.6
Soil Conservation Service (SCS) Equation	816.6
Upland Method	816.6

TOLL ROAD, BRIDGE OR TUNNEL

.....	62.3
-------	------

TOPSOIL

Roadside Treatment	706.3
--------------------------	-------

TRAFFIC

Axle Load Spectra	613.4
Considerations in Pavement Engineering	613
Control Devices	62.8
Control Devices	403.10
Control Plans, Special Problems	110.7
Definitions	62.8
Index, TI	613.3
Interchanges	500
Islands	405.4
Lane	62.1

U

UNDERPASS

Railroad, Grade Line	204.8
Railroad,	208.9

UNDIVIDED HIGHWAYS

Axis of Rotation	202.4
Grade Line	204.2

UNTREATED GRANULAR BASE

see BASE

UTILITIES

at Walls	210.8
----------------	-------

V**VALUE ANALYSIS**

.....	110.9
-------	-------

VEGETATIVE EROSION CONTROL

.....	62.5
-------	------

VELOCITY HEAD

Definition	806.2
.....	864.3

VERTICAL CLEARANCE

see CLEARANCES

VERTICAL CURVES

.....	204.4
-------	-------

also see SIGHT DISTANCE

VISTA POINTS

.....	62.5
Aesthetic Factors	109.3
Design Standards	904
Features and Facilities	904.3
General	904.1
Minimum Standards	904.1
Site Selection	904.2
Water Supply	706.6

VOLUME

.....	62.8
Design Hourly Volume	103.1
Design Volume	62.8

W**WALKWAYS**

see PEDESTRIAN FACILITIES

WALLS

Head	826.3
------------	-------

WALLS, RETAINING

see EARTH RETAINING SYSTEMS

WATER

Course, Definition	806.2
Definition	874
Pollution, Control of	110.2
Quality Control Boards	110.2
Shed	819.2
Table, Definition	806.2
Way, Definition	806.2
Way, Definition	874
Wells, Abandonment	110.2

WATER SUPPLY

Roadside Rests	903.5
Roadside Rests and Landscaping	706.6
Vista Points	706.6

WAVE

Height	873.2
Run-up	873.2

WEAVING

.....	62.8
Sections	62.4
Sections, Interchange	504.7

WEED CONTROL

Noxious, Control of	110.5
---------------------------	-------

WEEPHOLES

Definition	806.2
Definition	874
.....	872.2

WEIGHING FACILITIES

Truck	703.1
-------------	-------

WEIR

Definition	806.2
------------------	-------

WELLS

.....	841.5
Water, Abandonment	110.2

WETLANDS PROTECTION

.....	110.4
-------	-------

WHEELCHAIR RAMPS

see CURB RAMPS

WIDENING

Pavement	206.2
Ramps, for Trucks	504.3
Pavement Design Life	612.3
Pavement, Project Type	603.2
Signalized Intersections	405.9
Slope Benches and Cut Widening	304.3

WIDTH

Driveway, Access Openings on Expressways ----	205.1
Driveway, Urban	205.3

Lane -----	301.1
Lane, on Curves -----	504.3
Left Turn Lanes -----	405.2
Median -----	305.1
Opening for Falsework -----	204.8
Pavement -----	301.1
Right of Way -----	306
Shoulder -----	302.1
Structures -----	208.1

Y

YARDS

Maintenance -----	107.2
Plant Sites, Contractors -----	112